

Bodypoint®

Product catalogue guide



B | E | S
HEALTHCARE

0117 966 6761
info@beshealthcare.net
www.beshealthcare.net



WELCOME TO THE BODYPOINT PRODUCT CATALOGUE GUIDE

At BES Healthcare, our mission is to provide 'Best in Class' solutions that enhance the quality of life for users. We understand that no two individuals are the same, and therefore, their equipment needs vary. Rather than treating assistive devices as mere commodities, we focus on offering tailored solutions that promote postural support and comfort. Our curated range of high-quality products from around the world ensures that individuals receive equipment suited to their unique needs.

EDUCATION AND TRAINING

To help healthcare professionals maximise the benefits of our products, BES offers comprehensive education and training sessions. These sessions focus on 24-hour postural management, clinical needs, and assessment techniques, equipping therapists and carers with the knowledge they need to deliver the best possible care.

SUPERIOR SERVICE

Our commitment to superior service is reflected in our team of highly trained Assistive Technology Specialists. Taking a holistic approach, they provide tailored assessments and expert guidance, ensuring that individuals receive the most effective postural support solutions.

WHY BODYPOINT?

Bodypoint stands out as the brand which pioneered testing to, and meeting the international wheelchair seating standards for postural supports, specifically ISO 16840-3, -10, and -15, ensuring suitability, durability, safety, and performance in postural support.

DEBUNKING MYTHS

A common misconception is that belts and harnesses from one manufacturer cannot be used on another manufacturer's wheelchair. Bodypoint belts and harnesses, when used with the appropriate mounting hardware, are fully compliant with ISO standards and can be safely and effectively fitted to any wheelchair. Through this product guide, we aim to provide information to measure and fit Bodypoint's range of products to achieve the best outcomes for clients.

To find out more please visit www.beshealthcare.net

BODYPOINT CODE QUICK GUIDE

Pelvic Positioning

Standard to describe Pelvic Positioning Belts



COMPATIBLE
BS 8625

Webbing Width	Pad Length	Pad Width
S = 1" (25 mm)	32 cm	4 cm
M = 1.5" (38 mm)	36 cm	5 cm
L = 2" (51 mm)	38 cm	6 cm
	46 cm	7 cm
	62 cm	9 cm
	82 cm	10 cm
	92 cm	



Pelvic Positioning Belts

Using a flexible measuring tape, measure the distance

Where to fix a belt to correct for posterior tilt



ISO 16840-3:2022 Wheelchair seat — Part 3: Determination of static, impact, and repetitive load strengths for postural support devices
BS 8625:2019 Selection, placement and fixation of flexible postural support devices in seating

Hip Belts 4-Point

	Webbing Width	Pad Length	Metal Push Button	Standard Push Button	Rehab Latch	Plastic Side Release	Swivel Buckle
Centre Pull	S (1")	32 cm	132453*			101749	
	S (1")	38 cm	109936*			109448	108090
	M (1.5")	36 cm		100131	101527	101121	
	M (1.5")	46 cm		109240*	109851	109400	107987
Dual Pull	L (2")	62 cm		109202**	109783	109318	
	S (1")	32 cm				101800	
	S (1")	38 cm				109622	
	M (1.5")	36 cm				101459	
Rear Pull	M (1.5")	46 cm				109585	
	L (2")	62 cm				109547	
	S (1")	38 cm	110055*			109707	
	M (1.5")	46 cm		111397*	111670	111519	
	M (1.5")	62 cm		109271*	109899	109660	

*Also accepts the 165635 reduced access or 100353 security covers. **Also accepts 175849 reduced access or 100599 security covers. *Small Metal Push Button, accepts 176525 Security Cover.


Leg Harness

Size	Code	Measuring for a Leg Harness
Small	141325	<p>Measure from the Anterior Superior Iliac Spine (ASIS) to the point where the inner thigh touches the seat.</p> <p>S 8"-11" (20-28 cm) M 11"-14" (28-36 cm) L 14"-16" (36-41 cm)</p>
Medium	141561	
Large	141707	


Upper Body Positioning

Standard Stayflex			
Size	With Zip	Exc Zip	
Small	103149	103248	
Medium	103118	103224	
Large	103088	103194	
Extra Large	103163	103279	
Narrow Stayflex			
Size	With Zip	Exc Zip	
Medium	103354	103422	
Large	103330	103392	
Extra Large	103378	103453	
PivotFit Shoulder Harness			
Size	Standard	Dynamic	
XXS Small	102906	103064	
XS Small	102876	103040	
Small	102821	102999	
Medium	102807	102968	
Large	102777	102937	
Extra Large	102852	103026	
Monoflex			
Size	Underarm Release with Flat Mount	Centre Release with Flat Mount	Centre Release
Extra Small	114039	114107	114183
Small	113858	114220	114268
Medium	113735	114305	114343
Large	113650	114428	114466
Extra Large	113957	114565	114602
Trimline Shoulder Harness			
Size	Standard		
Small	102746		
Medium	102722		
Large	102692		
Harness Hardware			
Plastic Flat-Mount™ & Sliders	Mounting Adapter	Strap Guides	Plastic Cinch Mounts

How to measure for a Shoulder Harness



How to measure for a Monoflex and Chest Strap



Hip Belts 2-Point

	Webbing Width	Pad Length	Metal Push Button	Standard Push Button	Rehab Latch	Plastic Side Release	Swivel Buckle
Centre Pull	S (1")	32 cm	132538*			100087	100254
	S (1")	38 cm	109066*			108557	199753
	M (1.5")	36 cm		100070	101336	100100	101176
	M (1.5")	46 cm		108281*	108946	108489	199814
Plus Size Centre Pull	L (2")	62 cm		108243**	108908	108403	
	L (2")	82 cm		199876**			
	L (2")	92 cm		199937**			
	S (1")	32 cm				101695	
Dual Pull	S (1")	38 cm				108717	
	M (1.5")	36 cm				101282	
	M (1.5")	46 cm				108632	
	L (2")	62 cm				108595	
Rear Pull	S (1")	38 cm	109165*			108861	
	M (1.5")	40 cm		110987*	111205	111090	
	M (1.5")	46 cm		108328**	109035	108793	
EvoFlex®							
Centre Pull	S (1")	38 cm	105211*				100179
	M (1.5")	46 cm		105013*	191061		100513
	L (2")	62 cm		104979**	191443		

*Also accepts the 165635 reduced access or 100353 security covers. **Also accepts 175849 reduced access or 100599 security covers. *Small Metal Push Button, accepts 176525 Security Cover.

Hook and Loop Belts

	Webbing Width	Pad Length	Metal Push Button	Standard Push Button	Rehab Latch	Plastic Side Release
Hook and Loop Belts 2pt						
Centre Pull	S (1")	38 cm	110444*			
	M (1.5")	46 cm		110130*	110369	
	L (2")	62 cm		110093**	110291	
Rear Pull	M (1.5")	46 cm		110222*	110406	
Hook and Loop Belts 4pt						
Centre Pull	S (1")	38 cm	110901*			
	M (1.5")	46 cm		110604*	110826	
	L (2")	62 cm		110529**	110789	
Dual Pull	S (1")	38 cm				110741
Rear Pull	M (1.5")	46 cm		110659*	110864	
Sub ASIS Pads (for Hook and Loop Belts)						
Small	149031					
Medium	148973					

*Also accepts the 165635 reduced access or 100353 security covers. **Also accepts 175849 reduced access or 100599 security covers. *Small Metal Push Button, accepts 176525 Security Cover.

Hardware Options

Framesaver™ Clamp		Seat Tube Mounting Bracket Kit	
Frame Clamp		Cinch-Mount™ End Fitting	
Flat-Mount™ & Steel Sliders		Band Clamp	
Belt Extension Kit		Hardware Kit	

(191207)

Buckle Style

Metal Push Button



Standard Push Button



Rehab Latch



Plastic Side Release



Swivel Buckle



Pull Style

Rear Pull



Centre Pull




Dual Pull



Reduced Access Cover

Size	Code	
Medium Belts	165635	
Large Belts	175849	
Security Cover		
Small Metal PB	176525	
Medium Belts	100353	
Large Belts	100599	

Lower Body Positioning

Ankle Huggers			
Size	Hook and Loop/ ErgoLatch™		How to measure for Ankle Huggers
Extra Small	102401		<div>Measure circumference above ankle</div> <div><div>XS</div><div>5.5"-7"</div><div>(14-17 cm)</div></div> <div><div>S</div><div>6.5"-8"</div><div>(17-20 cm)</div></div> <div><div>M</div><div>7.5"-9"</div><div>(19-23 cm)</div></div> <div><div>L</div><div>8.5"-11.5"</div><div>(22-29 cm)</div></div> <div><div>XL</div><div>11"-13"</div><div>(28-33 cm)</div></div>
Small	102371		
Medium	102364		
Large	102357		
Extra Large	102395		
Calf Panel, Calf Strap, Toe Strap			
Size	Calf Panel	Calf Strap	Measuring for Calf Panels and Calf Straps
Small	169213	164027	<div>For proper chair fit, measure chair width between tubing</div> <div><div>S</div><div>12"-15"</div><div>(31-38 cm)</div></div> <div><div>M</div><div>15"-19"</div><div>(38-48 cm)</div></div> <div><div>L</div><div>19"-22"</div><div>(48-56 cm)</div></div>
Medium	169145	163723	
Large	169077	163419	
Toe Straps	184681		

Go Anywhere Positioning

Universal Elastic Strap				
Size	Strap	Strap Extension		Length: 56" (Extensions available)
Small	180553	182397		Width: 3" (8 cm)
Large	180799	182465		L 45" (11 cm)
Extra Large	101411	181789		XL 6" (15 cm)
Rapid Dry Belts				
Type	Size	Order Code		Scan for measuring info:
One Piece with Grommets	Large	183073		
	Extra Large	182915		
One Piece with Plastic Slides	Large	184209		
	Extra Large	184131		
Two Piece with Grommets	Large	159795		
	Extra Large	165321		



PELVIC POSITIONING

Two & Four-Point Belts	07
Evoflex® Hip Belt	08
Choose a Hip Belt	10
How to Order	11
Buckles & Options	12
Accessories	13



UPPER BODY SUPPORT

Four-Point Harness	16
MD Series™ Harnesses	16
Style Options	17
Harness Strap Guides	18
Two-Point Harnesses	19



LOWER BODY SUPPORT

Ankle Huggers®	21
Calf Supports	22
.....	
Mobility Bag	24
Elastic Straps	25



**BATH AND SHOWER
POSITIONING**

Aeromesh® Bath Belts	27
Shower Chair Calf Support	27



**ARM SUPPORTS & POWER
WHEELCHAIR CONTROLS**

Modular Arm Supports	28
Flex-Shaft Joystick Handles	31
Tri-Lock™ Rotating Shaft	33
Midline Arm Style	33
Joystick Mounting Kits	34




TECHNICAL INFORMATION

Belt Measuring	36
End-Fittings	38
Mounting Hardware	39
Harness Options	39
Other Hardware	40




Tips from this British Standard

Position the **postural support device** anterior to the **greater trochanter**, to aid management of posterior pelvic tilt.




From BS 8625 Fig 1

To aid management of posterior pelvic tilt, use a **PSIS block** and **pre-ischial ridge** to keep the pelvis as close to neutral as is comfortable.



From BS 8625 Fig 6

Where to measure across the thighs for **padding size**, for a pelvic positioning support.




From BS 8625 Fig A.4

The anterior trunk support **should not come higher than the lower sternal notch** (to prevent risk of interference with user's airway). Also it should not be placed too low (to avoid abdominal pressures).




From BS 8625 Fig 15

Where to **measure body** for sizing of an anterior trunk support.



From BS 8625 Fig A.5

Addition of a **wedge** under the front of a cushion can assist in spreading pressures under the femur while keeping a neutral pelvis.



From BS 8625 Fig 6

HIP BELTS & ADVANCED POSITIONING



Two-Point Padded Hip Belt

This simple-to-use belt with two points of attachment was designed to combine all-day user comfort with effective pelvic support in a variety of mounting positions.



Four-Point Padded Hip Belt

Our Four-Point Padded Hip Belt has the same features as our Two-Point Belt, but attaches to the wheelchair in four places to ensure that the pelvis does not move from an aligned, stable position and stays securely against the seat and back supports.



Sub-ASIS Compatible Belts

Similar features to our regular Padded Hip Belts, but with a special lining for attachment of adjustable Sub-ASIS Pads (sold separately). The attachable pads provide focused pressure for improved control of obliquity and rotation. Available in two-point and four-point styles.



Sub-ASIS Pads

Attach these gel-filled, 3D-contoured pads to the inside of Sub-ASIS Compatible or Evoflex belts with hook-and-loop. Easy to reposition for optimal fit. Sold in pairs.

WHAT MAKES THE BELT UNIQUE

There is a seamless transition from the creep-resistant webbing to the contoured pads, made with premium-grade foam that won't flatten out with use. Rounded CORDURA edge binding ensures even pressure distribution. Sewing techniques and materials are selected for maximum grime resistance, but these belts can also be machine washed.





Patented, dual-zone elasticity enhances comfort by allowing moderate shoulder movement without reducing support at the chest. Ideal for helping to manage high tone.

EVOFLEX® HIP BELT

The Evoflex is the first two-point pelvic support belt with rigid straps that keep the belt from falling down. This stops the belt from getting caught in the wheels, side guard, or armrest, which many users around the world appreciate.

With excellent stability, the Evoflex is ideal for any user who wants easy access to their positioning belt. It is simple to engage and disengage, and can be easily folded out of the way when it is not needed.

The Evoflex has multiple buckle options and uses the center-pull tightening function. The attachment method varies depending on the wheelchair.

The foam padding is close-celled and is ergonomically shaped to fit body contours. The stiffened straps have smooth edges for improved comfort and a tighter fit.

To size correctly: measure the entire length over the hips where the user needs the padded surface. Choose the longest padding length possible. This ensures good distribution of pressure on a larger contact surface which, in addition to health benefits, is much more comfortable for the user.

Evoflex® Belt Extender

Made of thick, durable composite, the Evoflex Belt Extender maintains the stiffness of the Evoflex while lengthening the belt up to 12.5 cm (5") per side. This is a perfect solution for mounting to wheelchairs with thicker cushions, deeply-contoured seating, or distant mounting points.

Smart locking pins add a second connection point with the belt, preventing unwanted pivoting.



Alternately, use the reverse side of the Belt Extender without the locking pin to allow pivoting around obstacles.

The Belt Extender can be used with all sizes and can be cut to the desired length using a saw or bent using heat as needed. Fasteners included.



103743 Evoflex Belt Extender

The Evoflex two-point belt can be mounted at a desired angle and stays in position. The reinforced sides prevent twisting and allow for easy opening.

The patented, rigid sides prevent the belt from falling into the wheels, sideguards, or armrest.

Slim, tapered strap design improves stability by allowing a tighter fit.

CHOOSE A HIP BELT IN FIVE STEPS

1 SELECT STYLE

Non-Padded



Padded



With Fabric for Sub-ASIS Pad



2 SELECT TWO OR FOUR ATTACHMENT POINTS

Two-Point Hip Belt

Hip belts with two attachment points on the chair are the most common selection.



Four-Point Hip Belt

Hip belts with four attachment points are most appropriate when the user has a tendency to move a lot or has high tone.



3 SELECT BUCKLE TYPE



Push Button

Smooth, rounded corners prevent snagging. Cover is removable for cleaning or replacing with reduced/no-access cover.



Side-Release Buckle

Lightweight, crush-resistant buckle that prevents accidental release but requires strong hand function.



Rehab Latch™

Provides easy opening for those with limited hand function.



Small Push-Button

Secure option for pediatric use or when less-bulky buckle is desired. Security cover optional. (See Page 12 for Details)



Swivel Buckle

Smooth, flat design that allows for dynamic movement and equalizes tension. Requires moderate force to release.



DuraLatch™ Buckle

Strong, lightweight, and discreet, with a release mechanism that accommodates all levels of hand function. (Essentials Line Only)

Please note that not all buckles are available in all sizes.

4 SELECT PULL STYLE



Center-Pull Hip Belt

Suitable for a wide range of users, especially those with posterior pelvic tilt. Available in the widest variety of sizes and buckle styles.



Dual-Pull Hip Belt

More adjustable to accommodate clothing and weight changes. Available with Side-Release Buckle only.



Rear-Pull Hip Belt

Works well for high muscle tone and pelvic rotation. Position and secure one side of the pelvis before the other.

5 END-FITTINGS



-A2

Cinch-Mount™ x2 FrameSaver™ x2

Allows quick, easy, and precise adjustments to strap length for changes in weight and clothing.

HOW TO ORDER A HIP BELT

	+		+		+		+		=	COMPLETE PART NUMBER
1. BELT STYLE		2. ATTACHMENT		3. BUCKLE TYPE		4. PULL STYLE		5. END-FITTINGS		
Non-padded, padded, hook-and-loop, Evoflex		Two or four points		See page 10		See above		See above		

ADDITIONAL HIP BELT OPTIONS



Non-Padded Hip Belt

A basic belt with webbing, strong yet flexible enough for easy tightening. Available in center-pull only. For more comfortable all-day use or more effective postural support, consider a padded hip belt instead. (See page 37 for part numbers and more information.)



Quad Belt

A non-padded belt especially designed for users with minimal hand function. A stiffener and thumb socket make the belt easier to grasp and manipulate. It also features the Bodypoint Rehab Latch buckle, which requires minimal force to open. Center-pull, size large only.

105549



Essentials Belts

The Essentials belts are available in both two- and four-point styles. Choose from side-release buckle or the patented DuraLatch buckle.



The value-engineered line is available in limited sizes and in select markets only.

BUCKLE COVERS

REPLACEMENT COVERS FOR PUSH-BUTTON BUCKLES ON BODYPOINT HIP BELTS

Standard Push-Button Buckle Replacement Cover

Replaces standard cover on Bodypoint Push-Button Buckle. Ø22 mm (7/8") button hole.



176075 For 4 cm (1-1/2") webbing belts

165871 For 5 cm (2") wide webbing belts

Security Cover

Prevents unsafe opening. This cover's small Ø6 mm (1/4") button hole cannot be operated by a finger, but can be easily opened using a pen tip.



100353 For 4 cm (1-1/2") webbing belts

100599 For 5 cm (2") webbing belts

Reduced Access Cover

Requires use of fingertip to open buckle. Ø14 mm (9/16") button hole.



165635 For 4 cm (1-1/2") webbing belts

175849 For 5 cm (2") webbing belts

Extra Small Security Cover

Snaps securely onto our Small Push-Button Buckle, limiting access by even the smallest fingers. Open instantly with a pen tip. One size. Ø6 mm (1/4") button hole.



176525 For 2.5 cm (1") webbing belts



OTHER PELVIC SUPPORT OPTIONS & ACCESSORIES

Leg Harness

A simple solution for users who are at risk for sliding or have spasticity. The padded strap securely holds the leg at the inner thigh without limiting anterior movement or pressing on the bladder. The harness has a unique, user-friendly design and it can be used with or without a pelvic belt. An effective alternative to a groin strap. Sold as a pair.



PART NUMBERS

Come with -A2 fittings.

(See page 11 for more information.)

- | | |
|--------|--|
| 141325 | Small
23 cm (9") x 4 cm (1-1/2") |
| 141561 | Medium
33 cm (13") x 4.5 cm (1-3/4") |
| 141707 | Large
38 cm (15") x 5 cm (2") |



PART NUMBERS FOR EVOFLEX® AND OTHER PADDED HIP BELTS

All come with -A2 Fittings.

Pull Style	Size	Push-Button	Side-Release	Rehab Latch	Swivel Buckle	Small Push-Button	DuraLatch
TWO-POINT STANDARD PADDED BELTS							
Center-Pull	S32		100087		100254	132538	
	S38		108557		199753	109066	
	M36	100070	100100	101336	101176		
	M46	108281	108489	108946	199814		
	L62	108243	108403	108908			
	L82	199876					
	L92	199937					
Dual-Pull	S32		101695				
	S38		108717				
	M36		101282				
	M46		108632				
	L62		108595				
Rear-Pull	S38		108861			109165	
	M40	110987	111090	111205			
	M46	108328	108793	109035			
FOUR-POINT STANDARD PADDED BELTS							
Center-Pull	S32		101749			132453	
	S38		109448		108090	109936	
	M36	100131	101121	101527			
	M46	109240	109400	109851	107987		
	L62	109202	109318	109783			
Dual-Pull	S32		101800				
	S38		109622				
	M36		101459				
	M46		109585				
Rear-Pull	L62		109547				
	S38		109707			110055	
	M40	11397	111519	111670			
	M46	109271	109660	109899			
TWO-POINT SUB-ASIS-COMPATIBLE BELTS (Sub-ASIS Pads sold separately; see page 7)							
Center-Pull	S38					110055	
	M46	110130		110369			
	L62	110093		110291			
Rear-Pull	M46	110222		110406			
FOUR-POINT SUB-ASIS-COMPATIBLE BELTS (Sub-ASIS Pads sold separately; see page 7)							
Center-Pull	S38					110444	
	M46	110604		110826			
	L62	110529		110789			
Dual-Pull	S38		110741				
Rear-Pull	M46	110659		110864			
EVOFLEX® HIP BELT							
Center-Pull	S38				100179	105211	
	M46	105013		191061	100513		
	L62	104979		191443			

UPPER BODY SUPPORT



FOUR-POINT UPPER BODY SUPPORT

MD Series™ Harnesses

Our PivotFit, Stayflex, and Trimline harnesses come with MD (multi-directional) Pull Straps. The versatile MD straps can be set up to work in a front- or rear-pull configuration depending on individual user needs. No need for compromise.



Pivotfit™ Shoulder Harness

The PivotFit harness promotes upright posture through shoulder control for improved breathing, head control, and stability. Sleek look with anatomically-matched design that distributes pressure across a 25% greater surface area than a traditional H-style harness. Body-contouring pads provide optimal support and comfort. Easy-to-adjust sternum strap is placed low to reduce risk of strangulation.

Available in two styles: Standard (non-stretch) and Dynamic (controlled stretch).



STYLE OPTIONS



Standard Style

Non-stretch (fixed) style reduces movement and has an easy-to-clean CORDURA nylon covering. Effective for severe kyphosis, spinal curvature or trunk rotation.



Dynamic Style

Patented, dual-zone elasticity enhances comfort by allowing moderate shoulder movement without reducing support at the chest. Ideal for helping to manage high tone.



STAYFLEX™ CHEST SUPPORT

Provides firm trunk control with more freedom of movement in the shoulders than the PivotFit or Trimline. Patented, dual-stretch-zone construction eliminates upwards shift at the neckline when leaning forward, minimizing strangulation risk. Carefully selected materials optimally balance stretch and resistance, and quick-release Swivel Buckles allow easy removal. Set up any style as a front or rear-pull with our new MD (multi-directional) Pull Straps.

STYLE OPTIONS



Standard Width

Chest support with a controlled amount of stretch.



Narrow Width

Comfortably fits women and users with smaller frames.



Optional Zipper

Optional zipper available on both Standard Width (left) and Narrow Width (right).

Trimline Shoulder Harness

Features two separate, adjustable padded straps for more focused shoulder retraction. Comfortably accommodates asymmetry and keeps the chest clear for maximum freedom of movement.



Essentials H-Style Shoulder Harness

This new, value-engineered design provides strong shoulder positioning for improved head and trunk control. The cleaner appearance and a more ergonomic shape offers greater comfort and performance.



CAUTION

Whenever a chest belt or other anterior trunk support is used, a properly-adjusted pelvic support should also be worn to prevent sliding.

STANDARD END-FITTINGS

Plastic Cinch-Mount™

-B6



MD SERIES HARNESSES PART NUMBERS

Add end-fitting suffixes **-B5** or **-B6** to the end of the part number.

Size	PivotFit™ Dynamic	Pivotfit™ Standard	Stayflex™ Narrow		Stayflex™ Standard		Trimline
			With Zipper	Without Zipper	With Zipper	Without Zipper	
XXS	103064	102906	-	-	-	-	-
XS	103040	102876	-	-	-	103309	-
S	102999	102821	-	-	103149	103248	102746
M	102968	102807	103354	103422	103118	103224	102722
L	102937	102777	103330	103392	103088	103194	102692
XL	103026	102852	103378	103453	103163	103279	-

SHOULDER HARNESS STRAP GUIDES

Improve positioning and comfort of chest and shoulder harnesses, and use harnesses where you couldn't before on low or contoured backs.

Our simple, easy-to-install solution provides maximum adjustability and allows you to optimize fit for each user. The thin design fits into tight spaces, and super strong spring steel absorbs shock, giving users greater comfort.



TWO-POINT UPPER BODY SUPPORT

Monoflex™ Chest Support


For users who need strong but comfortable abdominal or chest support. High-strength elastic padding provides just the right amount of stretch for comfort, while stabilizing even those with strong spastic tone. Double-tapered shape distributes pressure across the midsection while maintaining free arm movement. Improves breath control and speech when used on upper abdomen. Can also be used on legs. Available in one-piece and two-piece styles.

MONOFLEX™ PART NUMBERS

Size	One-Piece Underarm Release -B1 Fittings	Two-Piece Center Release -B1 Fittings	Two-Piece Center Release -B2 Fittings
XS	114039	114107	114183
S	113858	114220	114268
M	113735	114305	114343
L	113650	114428	114466


(See page 31 for more information.)

PRODUCT STYLES




Two-Piece Center Release

Reduces bulk under the arms and fits under lateral supports for added stability. Center Swivel Buckle equalizes pressure.



One-Piece Underarm Release

Single pad for more surface area and stretch, with front-pull adjustment and Swivel Buckle release on sides.



Chest Belt

Features a premium hook-and-loop closure with a stiffened thumb loop for easy adjustment by users with limited hand function. (-B2)

One size:

Usable Length: 117 cm (46"); Webbing Width: 5 cm (2")

102449 Belt only

102487 Belt with a 148591 slip on pad, shown below.

(See page 38 for more information on end-fittings.)



102487 - Belt with Slip-On Pad



102449 - Belt only

LOWER BODY SUPPORT



ANKLE HUGGERS®



THE RIGHT FIT, EVERY TIME

Bodypoint's Ankle Huggers position both ankles and feet for long-term safety.

They allow mobility for a comfortable sitting position in the wheelchair. The ankle is secured while the rest of the foot can move naturally. Load on the joint is reduced and the possibility of a comfortable and durable sitting position with control for the whole body increases.

The Ankle Huggers offer an easy-to-adjust hook-and-loop fastening solution to accommodate different shoes for example, while the ErgoLatch buckle makes it easy to consistently achieve an already set position. The ankle section has padded cushions that follow the shape of the feet and keep the feet centered.

The innovative flex zone for heels and soft wrinkle-free edges in CORDURA textile provide comfort and reduce risks of pressure.



See page 41 for part numbers and more information



**Padded Aeromesh®
Calf Supports**

Our Calf Strap and Calf Panel keep feet safely and comfortably on foot plates with relaxed calves. They distribute pressure evenly on the lower extremities and control flex without bruising.

Porous Aeromesh fabric is bonded to a durable but non-creasing stiffener, promoting air flow while maintaining shape.



Calf Strap

- 164027** Small
- 163723** Medium
- 163419** Large




Calf Panel

Distributes pressure across a broader calf region than our regular Calf Strap. Especially helpful for users in tilt or reclined positions.

- 169213** Small
- 169145** Medium
- 169077** Large

**CALF PANEL AND
CALF STRAP SIZING**

Measure the curved distance around the legs from the outside of the wheelchair. Choose a size with enough length for the pad to flex and wrap behind calves.



- S** 35-40 cm (14-16")
- M** 40-50 cm (16-20")
- L** 50-61 cm (20-24")

LIFESTYLE OPTIONS





MOBILITY BAG

The Bodypoint Mobility Bag keeps necessities and valuables close at hand, securely and discreetly. Designed in conjunction with wheelchair users, for wheelchair users, it's big enough to hold the day's needs, but still fits snugly out of the way behind the legs or on the side of the chair.

Sturdy construction and handy features like two roomy main compartments, a high-contrast interior, mesh front pockets, a key clip, a hanging hook, and easy-grab pulls make this bag unique.

20cm (8") wide, 19 cm (7.5") tall, 11 cm (4.25") deep



Attach and remove effortlessly from the front or side of the wheelchair using the removable plastic seat clip. Alternately, detach the clip and use the hook-and-loop style tabs to attach to an armrest.



101626 - Mobility



"I love that it is discreet and fashionable. Nobody even knows it's there."

-Amin Lakhani, Dating Coach on Wheels

Learn more about Amin at
www.bodypoint.com/success-stories.

ELASTIC MOBILITY STRAPS

A versatile band that can be used for support wherever it is needed.

It offers a practical grip with large holes for thumb or fingers for users with limited hand functionality. The material is soft and has a controlled elasticity that gives support and comfort for temporary positioning for work, play, sports, therapy, or fittings. The extra-fine hook-and-loop won't destroy clothes or trap dirt.




Features a convenient thumb loop end for a strong, secure connection.

Elastic Mobility Extension Strap

Optional add-on extension to increase length and versatility. Can also be used alone. All extensions are 72.5 cm (28.5") long.

Size	Width	Part Number
Small	8 cm (3")	182397
Large	11 cm (4")	182465
X-Large	15 cm (6")	181789



PRODUCT SIZE



Size	Length	Width	Part Number
Small	148 cm (58")	8 cm (3")	180553
Large	148 cm (58")	11 cm (4")	180799
X-Large	148 cm (58")	15 cm (6")	101411

BATH & SHOWER POSITIONING



PATENTED AEROMESH® FABRIC

Every shower chair user deserves the soft comfort of Aeromesh. The soft, porous material allows soap, water, dirt, and air to flow through freely while protecting skin and preventing accumulation of bacteria. Combine Aeromesh Bath Belts and Shower Chair Calf Supports for a complete positioning solution.



Aeromesh® Bath Belts

Aeromesh Belts can be worn on the chest or hips to stabilize position while bathing or in the pool. Each length is adjustable, can be machine-washed at temperatures up to 140°F/60°C, and can be machine-dried.



SIZE OPTIONS

A Two-piece pad with grommets	B One-piece pad with grommets	C One-piece pad, plastic slides
159795 Medium 10 cm (4") wide 61-94 cm (24-37") long*	183073 Large 10 cm (4") wide 73.5-129.5 cm (29-51") long*	184209 Large 10 cm (4") wide 68.5-160 cm (27-63") long*
165321 Large 10 cm (4") wide 79-109 cm (31-43") long*	182915 Extra Large 12.5 cm (5") wide, 81-137 cm (32-54") long*	184131 Extra Large 12.5 cm (5") wide 76-173 cm (30-68") long*
Measurements represent the usable length of the belt.		

SHOWER CHAIR CALF SUPPORT


This clip-on calf support, designed specifically for use while bathing, helps stabilize the legs to reduce risk and increase comfort, especially for tilt shower chair users.

PART NUMBERS & SIZES



Height	Length	Seat Width	Part Number
10 cm (4")	42 cm (17")	40 cm (16")	101848
10 cm (4")	47 cm (19")	45 cm (18")	101879
10 cm (4")	53 cm (21")	51 cm (20")	101893

SIZE AND DIMENSIONS



Attaches to frame with sewn-in tubing clips for easy placement and removal. Clips compatible with Ø22 mm and Ø25 mm (1") leg rest tubing and fit most shower chair brands.

MODULAR ARM SUPPORTS






Dynamic Arm Support

The modular solution for elbow, forearm, and hands

Modular and Adjustable Support

The clinically developed Dynamic Arm Support is modular and adjustable, providing an option for intervention and prevention for the upper extremity following injury or neurological events. It provides three points of support at the elbow, forearm, and hand with a focus on preventing contractures, shoulder pain, and shoulder subluxation. The uniquely shaped pads facilitate a functional and neutral position of the forearm and hand.



3 Vital Points of Contact:

1. Elbow Pad
2. Forearm Pad
3. Hand Block

Dynamic Movement:

The pivot mechanism positioned under the elbow pad allows 60° of rotation, stimulating proprioception and increasing strength and range of motion. The position can also be locked in steps of 5° to find the ideal resting position for the user.

PRODUCT SIZE

Step 1: Indicate which arm is impacted: Left or Right

Step 2: Select the size of the hand block: Small or Large

Measure the maximum length of middle finger: Small (8.5cm-10.5cm) or Large (10.5cm-12cm)

Step 3: Choose the type of armrest adapter required: Tubular or Flat

Two sizes of Mounting Clamp to fit Ø19mm, 22mm, and 25mm tubing



POWER WHEELCHAIR CONTROLS





Flex-Shaft Joystick Handles

Bodypoint makes Joystick Handles in a range of shapes, sizes, and materials to address functional needs and personal style.

Flexible shafts reduce risk of damage to electronic joystick controls from involuntary movement, dampen driving vibrations for greater user comfort, and protect fragile components from impact.

Each handle is available in two stem sizes to fit all major power chairs. Install by pressing firmly onto a clean joystick stem.



Grooved Mushroom

The new Grooved Mushroom is the result of years of learning from customers and collaboration with users and clinicians.



"My PT recommended the Bodypoint Joystick Handle... It's supposed to be one of the best. It is better at opening my hand up."


**Wing Woo, Former Sargent
in the King County Sheriff Office**

PRODUCT SIZE

4.8 mm (3/16") stem size:
Fits most Invacare controllers **102494**

6.4 mm (1/4") stem size:
Fits Permobil, Pride, Quantum, and Quickie joystick controllers **102517**

CONTROL IS RIGHT IN YOUR HANDS



3" Ergonomic U-Shaped

186593 Fits stem size: Ø4.8 mm (3/16")

186289 Fits stem size: Ø6.4 mm (1/4")

4" Ergonomic U-Shaped

186043 Fits stem size: Ø4.8 mm (3/16")

185817 Fits stem size: Ø6.4 mm (1/4")

Our U-Shaped Joystick Handle is form-fitting and ergonomic due to its curved shape and waterfall edge. This design provides maximum wheelchair driving control while remaining comfortable for users. Available in two widths to accommodate the user's hand size. Sides can be molded to shape in hot water to fit individual needs.




Grooved Mushroom

102494 Fits stem size: Ø4.8 mm (3/16")

102517 Fits stem size: Ø6.4 mm (1/4")

The Grooved Mushroom's textured surfaces, hand-filling shape, and adaptable height make it a versatile model that meets the needs of many different users. Can easily be cut to five shorter heights with a utility knife.




Rubber Dome

151089 Fits stem size: Ø4.8 mm (3/16")

151157 Fits stem size: Ø6.4 mm (1/4")

The Rubber Dome Joystick Handle is designed specifically for users with weak hands. Its low, wide form matches the shape of the palm, keeping the wrist neutral and making it easier to control the fingers. Ribbed texture reduces sweat buildup and increases friction to keep hands from slipping off with involuntary movement.



6" Straight

150617 Fits stem size: Ø4.8 mm (3/16")

150785 Fits stem size: Ø6.4 mm (1/4")

Our Straight Joystick Handle makes it easy to grasp the joystick using only the last joint of the user's fingers. This design is especially useful for users with very limited hand function. Can also be cut to length for a precise fit.

DRIVING MADE EASIER

Tri-lock™ Midline Mounting System

For many users, driving with the joystick centered in front of the body (at midline) is a more natural and functional position that can lead to improved posture, core strength, and endurance. The Tri-Lock System lets you bring driving controls or communication devices into the optimal position.

Position the arm over lap trays, above or below armrests, or over the shoulder on chin-controlled systems.

Select a Mounting Adapter compatible with the joystick controller, a Mounting Clamp compatible with the chair, and the Midline Arm style that best suits user needs. Components are available separately or as a complete kit.

1. Tri-Lock™ Rotating Shaft

Navigate power chairs with smooth precision, prevent accidental rotation from driving position, and reduce joystick wiggle at the end of the arm with the compact, high-strength Tri-Lock. Rotate smoothly between three positions for driving, transfers, and table use. The unique hidden flip-stops toggle between independent and assisted release.

149109 Tri-Lock Rotating Shaft

2. Midline Arm style

Now made of satin-finish stainless steel, Bodypoint Midline Arms are corrosion- and scratch-resistant and can be easily cut to a perfect fit using a tube cutter, even while attached to the chair. Each supports up to 13.6 kg (30 lbs) of communication device, phone, tablet, and joystick weight. Choose an L-Shaped Arm for more height and angle options, a Straight Arm for less complex needs, or a J-Shaped Arm to accommodate trays. Lightweight, hollow 12.5 mm (1/2") diameter tubing.



101978 J-Shaped Arm




101992 L-Shaped Arm




149413 Straight Arm

Tri-lock™ Rotating Shaft Positions


Shown with a Straight Midline Arm




0° Horizontal driving position



90° For transfers



90° Press to disengage



240° For table access

"As a man with C4 quadriplegia, my world is in millimeters. My Bodypoint Midline Joystick gives me independence allowing me to drive with my chin-this is critical to my success! I've had the Midline now for more than a decade and it has not failed. Period."

Todd Stabelfeldt, Information Technology Entrepreneur

Read more about Todd Stabelfeldt's story at

www.bodypoint.com/success-stories



3. Joystick Mounting Adapter

Use to attach almost any joystick controller to a Bodypoint Midline Arm. Our adapters are strong, easy to install, and fit a wide range of controller models.

For more controller compatibility information, please visit www.bodypoint.com/midline.



149659
For MK6i, MPJ+



149963
For PGDT Pilot+



121761
For MK5, MPJ,
Q-Logic



102593
For Permobil
Compact Joysticks

4. Armrest Mounting Clamp

The Tri-Lock Modular Mounting Clamp is an essential component for mounting the Tri-Lock Rotating Shaft to the power chair. Both styles are height adjustable and can be installed on either the left or right armrest.

The optional Quick-Release Lever attaches to the clamp to allow easy adjustment and removal of the Tri-Lock Rotating Shaft.



132767
Rail Mount
Fits Permobil
Unitrack and Pride
T-slotted armrests



132804
Tube Mount
Fits Invacare Ø22
mm, 7/8" round-
tube armrests



113186
Quick-Release Lever
For easy adjustment
and removal of the Tri-
Lock Rotating Shaft



TECHNICAL



HOW TO MEASURE FOR A PADDED HIP BELT


To ensure proper fit and best performance, always select the padded belt size that best fits the user. When working with the Evoflex, consider adding Belt Extenders if longer straps are needed to reach the desired mounting point.

Determine the correct belt size for the user:



1. Based on clinical goals, use arms to place user in desired position and determine the most effective position and angle for the belt.
2. At the selected belt angle, measure the distance over the body with a flexible tape to find the optimal length for the belt's padded section.
3. In the sizing table for your belt style, refer to Column B to find the appropriate belt size based on padded length. If user is between sizes, consider factors such as growth, weight variations and clothing changes. For proper fit and function, pads should not extend past the user's body.

Two-Point and Four-Point Padded Hip Belts




Size	A	B	C	D
S32	2.5 cm (1")	32 cm (12-1/2")	4.5 cm (1-3/4")	117 cm (46")
S38	2.5 cm (1")	38 cm (15")	5 cm (2")	117 cm (46")
M36	4 cm (1-1/2")	36 cm (14")	5.5 cm (2-1/4")	130 cm (51")
M40	4 cm (1-1/2")	40 cm (15-3/4")	5.5 cm (2-1/4")	142 cm (56")
M46	4 cm (1-1/2")	46 cm (18")	5.5 cm (2-1/4")	142 cm (56")
L62	5 cm (2")	62 cm (24-1/2")	7 cm (2-3/4")	155 cm (61")
L82	5 cm (2")	82 cm (32")	9 cm (3-1/2")	206 cm (81")
L92	5 cm (2")	92 cm (36")	10 cm (4")	206 cm (81")

Leg Harnesses

Measure from the anterior superior iliac spine (ASIS) to the point where the inner thigh touches the seat.



Size	Fit Range
S	20-28 cm (8-11")
M	28-36 cm (11-14")
L	36-41 cm (14-16")



ADDITIONAL INSTRUCTIONS FOR THE EVOFLEX®


Determine total length needed for mounting:

- 1. At the selected belt angle, measure from the mounting point on one side across the user's body to the mounting point on the other side.
- 2. In the Evoflex sizing table, refer to Column D to find the maximum mounting length for the selected size belt.
- 3. If belt will not be long enough to reach the mounting points, Evoflex Belt Extenders can be used to add up to 12.5 cm (5") per side. See the Evoflex + Belt Extender table below for maximum combined length. Both the Evoflex Belt and Belt Extender can be cut to length if needed. See page 9 for Belt Extender details.



Size	A	B	C	D
S38	2.5 cm (1")	38 cm (15")	5 cm (2")	63 cm (24-3/4")
M46	4 cm (1-1/2")	46 cm (18")	5.5 cm (2-1/4")	76 cm (29-3/4")
L62	5 cm (2")	62 cm (24-1/2")	7 cm (2-3/4")	96 cm (37-3/4")


Evoflex® + Belt Extender



Belt Size	Max mounting length With Belt Extender
S38	88 cm (34-3/4")
M46	101 cm (39-3/4")
L62	121 cm (47-3/4")

See page 40 for more information on Evoflex Belt Extender.

Non-Padded Hip Belts




Part Numbers by Buckle Style

Size	Push-Button	Side-Release	Rehab Latch™
S		101022	
M	188269	101107	105167
L	188191	102883	104795
L-EXT	199999		

Size	A	D
S	2.5 cm (1")	117 cm (46")
M	4 cm (1-1/2")	142 cm (56")
L	5 cm (2")	155 cm (61")
L-EXT	5 cm (2")	206 cm (81")


END-FITTINGS FOR HIP BELTS & HARNESSSES

METAL END-FITTINGS FOR HIP BELTS & MONOFLEX™




-B1

Flat-Mount™
Versatile, lowest profile




-B2

Cinch-Mount™
Allows quick, easy, and precise adjustments to strap length for changes in weight and clothing



-B3

Grommet Strap
One-piece
Monoflex only



-B5

Plastic Flat-Mount™
Metal reinforced plastic end-fittings for Essentials hip belts

PLASTIC END-FITTINGS FOR HARNESSSES

Cam Buckles

Convenient end-fitting option for evaluation setting or whenever temporary fittings are needed. Also suitable for long-term use with chest or shoulder harnesses on users up to 75 kg (165 lb). Mount to solid backrest or Strap Guides. Ø6 mm (1/4") hole. Sold in pairs.



- 176839** Fits 2.5 cm (1") wide webbing
- 177065** Fits 4 cm (1-1/2") wide webbing
- 177201** Fits 5 cm (2") wide webbing belts

Standard End-Fittings

Plastic Flat-Mount

Plastic Cinch-Mount



ADDITIONAL MOUNTING OPTIONS

These optional harness attachment methods are especially useful for installation challenges such as contoured backs and tight spaces.

Grommet Straps

Clip to the end of MD Pull Straps for more compact front-pull installations. Sold in pairs.

103507



1" Cam Buckle

Use with D-ring section of MD Pull Straps for rear-pull function with compact installation and easy adjustment. Best for temporary use or pediatrics. Long-term use on users up to 75kg (165 lb) only. Sold in pairs.

176839



HARDWARE TO ATTACH TO THE WHEELCHAIR



FrameSaver™ Clamp & Shim

Frame types: A, D

Strong, durable nylon clamps snap onto tubing and won't scratch surface. Our most affordable clamp, the FrameSaver is perfect when clearance is not an issue. Sold in pairs.

- 145217** 25 mm clamp + 22 mm shim
- 144913** 19 mm shim



Band Clamp

Frame types: A, B, C, D

Flexible stainless spring steel fits into tight gaps under seats on a wide variety of frames. Useful for mounting where there are no pre-existing holes.

- 185435** Ø22 mm (7/8")
- 166625** Ø25 mm (1")
- 118969** 27 x 33 mm (1-1/16" x 1-5/16"), oval
- 120153** Ø29 mm (1-1/8")
- 119577** Ø30 mm (1-3/16")
- 123369** Ø32 mm (1-1/4")



Frame Clamp

Frame types: A, C

Open-jaw design fits underneath seat upholstery and armrest pads. Made with sturdy, two-piece aluminum construction. Sold in pairs.

- 145453** Ø22 mm (7/8")
- 145767** Ø25 mm (1")

Directly mount belts or harnesses to power wheelchair slotted rails.



6 mm T-Slot Fastener Kit

Frame type: E

- Metal end fittings: **101404**
- Plastic end fittings: **101466**



10 mm T-Slot Fastener Kit

Frame type: F

- Metal end fittings: **101244**
- Plastic end fittings: **101381**



90° Seat Mounting Bracket

Frame type: C

102470



20° Seat Mounting Bracket

Frame type: D


102432



Mounting solution for chairs with sling seat upholstery or a solid seat base. 90° bend for top mounting on seat tubes or a 20° bend for side mounting. Sold in pairs.

FRAME TYPE

Identify chair's frame type and then select compatible mounting hardware for belts and harnesses.



OTHER HARDWARE

Evoflex® Belt Extender

Made of high-impact plastic, the Evoflex Belt Extender maintains the stiffness of the Evoflex while lengthening the belt up to 12.5 cm (5") on both side. Perfect for mounting to wheelchairs with thicker cushions, deeply contoured seating, or distant mounting points. Available separately or bundled with the Evoflex belt.

103743



Strap Guide Part Numbers

Sold in pairs with complete M6 fastener kit and spacers.

102623 Long 200 mm (8")

102609 Short 150 mm (6")



Permobil Corpus Fastener Kit

Fastener kit for attaching Strap Guides to T-slots on Permobil Corpus chairs. Sold as a kit.

103484



This indispensable tool for measuring tubing diameter helps you choose the correct mounting hardware. It's also an easy way to select correctly-sized screws and nuts for a particular wheelchair.


100063



SHOULDER HARNESS STRAP GUIDES


Stayflex™, Pivotfit™ and Trimline

Measure the maximum width across the shoulders, at the deltoid muscles.



Size	Shoulder Width
XXS*	21-24 cm (8-1/4 - 9-1/2")
XS	24-28 cm (9-1/2 - 11")
S	28-33 cm (11-13")
M	33-41 cm (13-16")
L	41-48 cm (16-19")
XL	48-56 cm (19-22")

Monoflex™ Chest Supports




Wrap around the front and sides at the height at which the chest support will be worn.

Size	Pad Length	Pad Width	
		Underarm Release (1-piece)	Center Release (2-piece)
XS	31 cm (12-1/4")	7 cm (2-3/4")	5.5 cm (2-1/4")
S	39.5 cm (15-1/2")	7.5 cm (3")	6.5 cm (2-1/2")
M	46.5 cm (18-1/4")	10 cm (4")	8 cm (3-1/4")
L	54.5 cm (21-1/2")	11.5 cm (4-1/2")	9 cm (3-1/2")
XL	62 cm (24-1/2")	12.5 cm (5")	9.5 cm (3-3/4")

CALF SUPPORTS & ANKLE HUGGERS


Calf Supports (Calf Strap and Calf Panel)



Measure the curved distance around the legs from the outside of the wheelchair. Choose a size with enough length for the pad to flex and wrap behind calves.

S	35-40 cm (14-16")
M	40-50 cm (16-20")
L	50-61 cm (20-24")

Ankle Huggers®



Measure circumference above ankle.

Size	Part Number	Fits Ankle Circumference
XS	102401	14-17 cm (5-1/2-6-3/4")
S	102371	16.5-20 cm (6-1/2-8")
M	102364	19-25.5 cm (7-1/2-9-1/4")
L	102357	23-28 cm (9-11")
XL	102395	26.5-33 cm (10-1/2-13")

Additional sizing information can be found in the product listings throughout this Product Guide and online at www.bodypoint.com.

TECHNICAL SECTION: HARNESSES SPECIAL HARDWARE

Strap Guide Mounting Adapters

Optional Mounting Adapters allow you to utilize existing headrest holes, minimizing the need for drilling without limiting options for strap guide position. Sold separately with M6 fasteners and nut plates.




- 102630**
Large 270 mm x 75 mm (10-5/8"x 3")
- 102654**
Small 185 mm x 75 mm (7-1/4"x 3")

*Small Mounting Adapter
used to mount Short Strap Guides.
Headrest hardware not included.*



BEST PRACTICES FOR HARNESSES MOUNTING

TOP STRAP (LATERAL PLACEMENT)





When the top straps are pulled at an upward angle, above shoulder level, shoulder envelopment is reduced.

TOP STRAP (MOUNTING ANGLE)



When the straps are pulled straight back, at shoulder level, shoulder envelopment is increased. The distance to the contact point on the chair is also a little shorter, which may reduce lateral shifting of the top straps.

STRAP GUIDES



When the straps are pulled at a slightly downward angle, up to 20° below shoulder level, shoulder envelopment is maximized. Mounting lower than 20° below the shoulder is not recommended because of the potential increase in downward force.

BODYPPOINT® TERMS AND CONDITIONS

LIMITED LIFETIME WARRANTY

Most products manufactured by Bodypoint carry a limited lifetime warranty against defects in workmanship and materials arising under normal use by the original consumer. Product specifications are subject to change. For current specifications and warranty details, contact your local Independent Distributor or contact Customer Service at sales@bodypoint.com or 1-800-547-5716.

LIMITATIONS ON WARRANTIES

The warranties described herein do not extend to normal wear and tear; to products that have been subject to misuse, accident or tampering; nor to products that have been modified in any way other than that specifically described in the product instructions. Normal wear and tear is damage that naturally and inevitably occurs as a result of typical use. Purchaser's sole remedy for defective products shall be repair, replacement or account adjustment at the discretion of Bodypoint. In all circumstances Bodypoint reserves the right to substitute an equivalent product or refund the purchase price of the original product.

The Foregoing Warranties Are In Lieu Of All Other Warranties Expressed Or Implied, Including Without Limitation, Implied Warranties Of Merchantability And Fitness For A Particular Purpose. In No Event Shall Bodypoint Be Liable For Any Special, Indirect, Incidental Or Consequential Losses Or Damages Resulting From The Use Of The Product, Including Without Limitation, Loss Of Anticipated Profits, Even If Bodypoint Shall Have Been Advised Of The Possibility Of Such Potential Loss Or Damage. Bodypoint Shall Not Be Liable For Any Loss Or Damage Caused By Delay In Furnishing Product.

Bodypoint does not authorize any distributor, dealer, agent, sales person or any third party to change the terms or coverage of this warranty, and any such change shall be null and void. This warranty is non-transferable. This warranty will be governed in accordance with the laws of the State of Washington. The customer consents that jurisdiction under Venue for any action shall be in King County Washington. This warranty information is reprinted here for information purposes only and is subject to change without notice.

DISCLAIMER

All information provided in this document is current as of the date of publication and may be subject to change at any time. Please visit Bodypoint.com for the most up-to-date information.

TERMS

Standard terms are net 30 days on accounts approved for credit. Any returned check will incur a \$50 service charge. We also accept Visa, MasterCard, or American Express. All shipments are FOB Seattle, Washington.

Product specifications, prices, terms and conditions are subject to change without notice. Contact Customer Service at sales@bodypoint.com or 1-800-547-5716 for further details.

PAST DUE ACCOUNTS

Past due invoices will incur finance charges at the rate of 1.5% per month. Bodypoint reserves the right to hold shipments or require prepayment for any delinquent account.

RETURNS

All returns must be pre-authorized by Bodypoint. Customer must contact Bodypoint within 30 days of the purchase date for a return authorization. All returns are subject to a 15% restocking fee, plus applicable freight charges.

TRADEMARK INFORMATION

- Bodypoint and the Bodypoint Logo are registered trademarks of Bodypoint, Inc. In Canada, China, the EU, India and the USA.
- Strengthen Your Position is a registered trademark of Bodypoint, Inc. in the EU and USA.
- Ankle Huggers is a registered trademark of Bodypoint, Inc. in Canada, the EU and the USA.
- Aeromesh is a registered trademark of Bodypoint, Inc. in the EU and the USA.
- Evoflex is a registered trademark of Bodypoint, Inc. in the USA.
- Cinch-Mount, Flat-Mount, FrameSaver, Stayflex, Laminar Pad, Monoflex, Rehab Latch, DuraLatch, PivotFit, MD Series, and MD Pull Straps are all trademarks of Bodypoint, Inc.



BES Healthcare has been a trusted partner for NHS and private healthcare establishments for over three decades.

Our mission is twofold: to create a world where the lives of those with disabilities are indistinguishable from those without, and to ensure no one acquires an infection through their interaction with healthcare.

These visions guide our two main divisions: Assistive Technology and Infection Prevention.



Contact us:

0117 966 6761

info@beshealthcare.net

